











承插焊接式 304



1	等径对接头 Coupling	产品代号 Type-Code	公称通径 Nominal.dia (mm)	管子外径 O.D (mm)	A (mm)	Z (mm)
	W-SC		15	15.88		
			20	22.22		
			25	28.58		
			32	34.00		
			40	42.70		
			50	48.60		
			65	76.10		
			80	88.90		
			100	108.00		
2	异径对接头 Reducer	产品代号 Type-Code	公称通径 Nominal.dia (mm)	管子外径 O.D (mm)	A (mm)	Z (mm)
	W-RC		20 × 15	22.22 × 15.88	51	
			25 × 15	28.58 × 15.88	61	
			25 × 20	28.58 × 22.22	55	
			32 × 15	34.00 × 15.88	75	
			32 × 20	34.00 × 22.22	70	
			32 × 25	34.00 × 28.58	55	
			40 × 15	42.70 × 15.88	76	
			40 × 20	42.70 × 22.22	71	
			40 × 25	42.70 × 28.58	71	
			40 × 32	42.70 × 34.00	63	
			50 × 15	48.60 × 15.88	94	
			50 × 20	48.60 × 22.22	88	
			50 × 25	48.60 × 28.58	80	
			50 × 32	48.60 × 34.00	72	
			50 × 40	48.60 × 42.70	58	
			65x20	76.1x22.22	88	
			65x25	76.1x28.58	81	
			65x32	76.1x34.00	88	
			65x40	76.1x42.70	88	
			65x50	76.1x48.60	80	
			80x20	88.9x22.22	94	
			80x25	88.9x28.58	87	


			80x32	88.9x34.00	90	
			80x40	88.9x42.70	87	
			80x50	88.90x48.60	87	
			80x65	88.90x76.10	95	
			100x20	108.00x22.22	98	
			100x25	108.00x28.58	91	
			100x32	108.00x34.00	92	
			100x40	108.00x42.70	93	
			100x50	108.00x48.60	92	
			100x65	108.00x76.10	95	
			100x80	108.00x88.90	92	
3	A 型 90°弯头 90° elbow	产品代号 Type-Code	公称通径 Nominal.dia (mm)	管子外径 O.D (mm)	A (mm)	Z (mm)
		W-90E(A)	15	15.88	48	
			20	22.22	58	
			25	28.58	66	
			32	34.00	91	
			40	42.70	110	
			50	48.60	122	
			65	76.10	193	
			80	88.90	223	
			100	108.00	260	
4	A 型 45°弯头 45° elbow	产品代号 Type-Code	公称通径 Nominal.dia (mm)	管子外径 O.D (mm)	A (mm)	Z (mm)
		W-45E(A)	15	15.88	25	
			20	22.22	31	
			25	28.58	35	
			32	34.00	41	
			40	42.70	46	
			50	48.60	49	
			65	76.10	80	
			80	88.90	80	
			100	108.00	99	
5	异径 90°弯头 90° elbow	产品代号 Type-Code	公称通径 Nominal.dia (mm)	管子外径 O.D (mm)	A (mm)	B (mm)
		W-R90E	20x15	22.22 × 15.88		


			25x15	28.58 × 15.88				
			25x20	28.58 × 22.22				
			32x20	34.00x22.22				
			32x25	34.00x28.58				
			40x20	42.70x22.22				
			40x25	42.70x28.58				
			40x32	42.70x34.00				
			50x20	48.60x22.22				
			50x25	48.60x28.58				
			50x40	48.60x42.70				
6	等径三通接头 Equal tee	产品代号 Type-Code	公称通径 Nominal.dia (mm)	管子外径 O.D (mm)	A (mm)	B (mm)	Z1 (mm)	Z2 (mm)
			15	15.88	28	27		
			20	22.22	34	34		
			25	28.58	40	37		
			32	34.00	47.5	44		
			40	42.70	52.5	49		
			50	48.60	52.5	52		
			65	76.10	77.5	73		
			80	88.90	86	84		
			100	108.00	99	94		
7	异径三通接头 Reducing tee	产品代号 Type-Code	公称通径 Nominal.dia (mm)	管子外径 O.D (mm)	A (mm)	B (mm)	Z1 (mm)	Z2 (mm)
			20 × 15	22.22 × 15.88	34	40		
			25 × 15	28.58 × 15.88	40	43		
			25 × 20	28.58 × 22.22	40	43		
			32 × 15	34.00 × 15.88	47.5	46		
			32 × 20	34.00 × 22.22	47.5	46		
			32 × 25	34.00 × 28.58	47.5	54		
			40 × 15	42.70 × 15.88	52.5	50		
			40 × 20	42.70 × 22.22	52.5	50		
			40 × 25	42.70 × 28.58	52.5	58		
			40 × 32	42.70 × 34.00	52.5	58		
			50 × 15	48.60 × 15.88	52.5	53		
			50 × 20	48.60 × 22.22	52.5	53		


			50 × 25	48.60 × 28.58	52.5	61		
			50 × 32	48.60 × 34.00	52.5	61		
			50 × 40	48.60 × 42.70	52.5	65		
			65x15	76.10x15.88	77.5	77		
			65x20	76.10x22.22	77.5	78		
			65x25	76.10x28.58	77.5	62		
			65x32	76.10x34.00	77.5	66		
			65x40	76.10x42.70	77.5	66		
			65x50	76.10x48.60	77.5	66		
			80x15	88.90x15.88	86	84		
			80x20	88.90x22.22	86	75		
			80x25	88.90x28.58	86	68		
			80x32	88.90x34.00	86	73		
			80x40	88.90x42.70	86	73		
			80x50	88.90x48.60	86	73		
			80x65	88.90x76.10	86	80		
			100x15	108.00x15.88	96.5	93		
			100x20	108.00x22.22	96.5	84		
			100x25	108.00x28.58	96.5	78		
			100x32	108.00x34.00	96.5	82		
			100x40	108.00x42.70	96.5	82		
			100x50	108.00x48.60	96.5	82		
			100x65	108.00x76.10	96.5	90		
			100x80	108.00x88.90	96.5	93		
8	内螺纹转换接头 Female adapter (Rp)	产品代号 Type-Code	公称通径 Nominal.dia (mmxRp)	管子外径 O.D (mmxRp)	A (mm)	B (mm)		
			15 × Rp ¹ / ₂	15.88 × Rp ¹ / ₂				
			20 × Rp ¹ / ₂	22.22 × Rp ¹ / ₂				
			20 × Rp ³ / ₄	22.22 × Rp ³ / ₄				
			25 × Rp ¹ / ₂	28.58 × Rp ¹ / ₂				
			25 × Rp ³ / ₄	28.58 × Rp ³ / ₄				
			25 × Rp1	28.58 × Rp1				
			32 × Rp1/2	34.00 × Rp1/2				
			32 × Rp3/4	34.00 × Rp3/4				
			32 × Rp1	34.00 × Rp1				
			32 × Rp1 ¹ / ₄	34.00 × Rp1 ¹ / ₄				
			40 × Rp ³ / ₄	42.70 × Rp ³ / ₄				

			40 × Rp1 ⁴	42.70 × Rp1 ⁴		
			40 × Rp1 ^{1/4}	42.70 × Rp1 ^{1/4}		
			40 × Rp1 ^{1/2}	42.70 × Rp1 ^{1/2}		
			50 × Rp1	48.60 × Rp1		
			50 × Rp1 ^{1/4}	48.60 × Rp1 ^{1/4}		
			50 × Rp1 ^{1/2}	48.60 × Rp1 ^{1/2}		
			50 × Rp2	48.60 × Rp2		
			65 × Rp1 ^{1/2}	76.10 × Rp1 ^{1/2}		
			65 × Rp2	76.10 × Rp2		
			65 × Rp2 ^{1/2}	76.10 × Rp2 ^{1/2}		
			80xRp3/4	88.90xRp3/4		
			80xRp3	88.90xRp3		
			100xRp4	108.00xRp4		
9	外螺纹转换接头 Male adapter	产品代号 Type-Code	公称通径 Nominal.dia (mmxR)	管子外径 O.D (mmxR)	A (mm)	B (mm)
		W-ETC	15 × R ^{1/2}	15.88 × R ^{1/2}		
			20 × R ^{1/2}	22.22 × R ^{1/2}		
			20 × R ^{3/4}	22.22 × R ^{3/4}		
			25 × R1	28.58 × R1		
			32 × R1	34.00 × R1		
			32 × R1 ^{1/4}	34.00 × R1 ^{1/4}		
			40 × R1 ^{1/4}	42.70 × R1 ^{1/4}		
			40 × R1 ^{1/2}	42.70 × R1 ^{1/2}		
			50 × R1	48.60 × R1		
			50 × R1 ^{1/4}	48.60 × R1 ^{1/4}		
			50 × R1 ^{1/2}	48.60 × R1 ^{1/2}		
			50 × R2	48.60 × R2		
			65 × R2 ^{1/2}	76.10 × R2 ^{1/2}		
			80xR3	88.90xR3		
			100xR4	108.00xR4		
10	螺母移动转换接头 Valve connector	产品代号 Type-Code	公称通径 Nominal.dia (mmxG)	管子外径 O.D (mmxG)	A (mm)	
		W-ZL	15 × G ^{1/2}	15.88 × G ^{1/2}		
			15 × G ^{3/4}	15.88 × G ^{3/4}		
			20 × G ^{1/2}	22.22 × G ^{1/2}		
			20 × G ^{3/4}	22.22 × G ^{3/4}		

			25 × G1	28.58 × G1			
			32 × G1 ^{1/4}	34.00 × G1 ^{1/4}			
			40 × G1 ^{1/2}	42.70 × G1 ^{1/2}			
			50 × G2	48.60 × G2			
11	内螺纹 90°转换弯头(长型) 90° female angle adapter (long)	产品代号 Type-Code	公称通径 Nominal.dia (mmxRc)	管子外径 O.D (mmxRc)	A (mm)	B (mm)	Z (mm)
		W-ITC90E ₁	15 × Rp ^{1/2}	15.88 × Rp ^{1/2}			
			20 × Rp ^{1/2}	22.22 × Rp ^{1/2}			
			20 × Rp ^{3/4}	22.22 × Rp ^{3/4}			
			25 × Rp ^{1/2}	28.58 × Rp ^{1/2}			
			25 × Rp ^{3/4}	28.58 × Rp ^{3/4}			
			25 × Rp1	28.58 × Rp1			
			32 × Rp1	34.00 × Rp1			
			32 × Rp1 ^{1/4}	34.00 × Rp1 ^{1/4}			
			40 × Rp ^{1/2}	42.70 × Rp ^{1/2}			
			40 × Rp1 ^{1/4}	42.70 × Rp1 ^{1/4}			
			40 × Rp1 ^{1/2}	42.70 × Rp1 ^{1/2}			
			50 × Rp1 ^{1/2}	48.60 × Rp1 ^{1/2}			
			50 × Rp2	48.60 × Rp2			
			65 × Rp2 ^{1/2}	76.10 × Rp2 ^{1/2}			
			80xRp3	88.90xR3			
			100xRp4	108.00xRp4			
12	内螺纹 90°转换弯头(短型) 90° female angle adapter (short)	产品代号 Type-Code	公称通径 Nominal.dia (mmxRp)	管子外径 O.D (mmxRp)	A (mm)	B (mm)	Z (mm)
		W-ITC90E ₂ (水栓用)	15 × Rp ^{1/2}	15.88 × Rp ^{1/2}			
			20 × Rp ^{1/2}	22.22 × Rp ^{1/2}			
			20 × Rp ^{3/4}	22.22 × Rp ^{3/4}			
13	外螺纹 90°转换弯头 90° male angle adapter	产品代号 Type-Code	公称通径 Nominal.dia (mmxR)	管子外径 O.D (mmxR)	A (mm)	B (mm)	Z (mm)
		W-ETC90E	15 × R ^{1/2}	15.88 × R ^{1/2}			
			20 × R ^{1/2}	22.22 × R ^{1/2}			

			$20 \times R^3/4$	$22.22 \times R^3/4$				
			$25 \times R^3/4$	$28.58 \times R^3/4$				
			$25 \times R1$	$28.58 \times R1$				
			$32 \times R1$	$34.00 \times R1$				
			$32 \times R1^{1/4}$	$34.00 \times R1^{1/4}$				
			$40 \times R1^{1/4}$	$42.70 \times R1^{1/4}$				
			$40 \times R1^{1/2}$	$42.70 \times R1^{1/2}$				
			$50 \times R1^{1/2}$	$48.60 \times R1^{1/2}$				
			$50 \times R2$	$48.60 \times R2$				
14	内螺纹三通转换接头 Branch tee female outlet	产品代号 Type-Code	公称通径 Nominal.dia (mmxRp)	管子外径 O.D (mmxRp)	A (mm)	B (mm)	Z1 (mm)	Z2 (mm)
			$15 \times Rp^{1/2}$	$15.88 \times Rp^{1/2}$				
			$20 \times Rp^{1/2}$	$22.22 \times Rp^{1/2}$				
			$20 \times Rp^3/4$	$22.22 \times Rp^3/4$				
			$25 \times Rp^{1/2}$	$28.58 \times Rp^{1/2}$				
			$25 \times Rp^3/4$	$28.58 \times Rp^3/4$				
			$25 \times Rp1$	$28.58 \times Rp1$				
			$32 \times Rp^{1/2}$	$34.00 \times Rp^{1/2}$				
			$32 \times Rp^3/4$	$34.00 \times Rp^3/4$				
			$32 \times Rp1$	$34.00 \times Rp1$				
			$32 \times Rp1^{1/4}$	$34.00 \times Rp1^{1/4}$				
			$40 \times Rp^{1/2}$	$42.70 \times Rp^{1/2}$				
			$40 \times Rp^3/4$	$42.70 \times Rp^3/4$				
			$40 \times Rp1$	$42.70 \times Rp1$				
			$40 \times Rp1^{1/4}$	$42.70 \times Rp1^{1/4}$				
			$40 \times Rp1^{1/2}$	$42.70 \times Rp1^{1/2}$				
			$50 \times Rp^{1/2}$	$48.60 \times Rp^{1/2}$				
			$50 \times Rp^3/4$	$48.60 \times Rp^3/4$				
			$50 \times Rp1$	$48.60 \times Rp1$				
			$50 \times Rp1^{1/2}$	$48.60 \times Rp1^{1/2}$				
			$50 \times Rp2$	$48.60 \times Rp2$				
			$65 \times Rp1/2$	$76.10 \times Rp1/2$				
			$65 \times Rp3/4$	$76.10 \times Rp3/4$				
			$65 \times Rp1$	$76.10 \times Rp1$				
			$65 \times Rp11/4$	$76.10 \times Rp11/4$				
			$65 \times Rp11/2$	$76.10 \times Rp11/2$				
			$65 \times Rp2$	$76.10 \times Rp2$				

			80 × Rp1/2	88.90 × Rp1/2				
			80 × Rp3/4	88.90 × Rp3/4				
			80 × Rp1	88.90 × Rp1				
			80 × Rp2	88.9xRp2				
			80 × Rp3	88.9xRp3				
			100 × Rp1/2	108.00 × Rp1/2				
			100 × Rp3/4	108.00 × Rp3/4				
			100 × Rp2	108.00xRp2				
15	外螺纹三通转换接头 Branch tee male outlet	产品代号 Type-Code	公称通径 Nominal.dia (mmxR)	管子外径 O.D (mmxR)	A (mm)	B (mm)	Z1 (mm)	Z2 (mm)
	W-ETCT		15 × R ¹ / ₂	15.88 × R ¹ / ₂				
			20 × R ¹ / ₂	22.22 × R ¹ / ₂				
			20 × R ³ / ₄	22.22 × R ³ / ₄				
			25 × R ¹ / ₂	28.58 × R ¹ / ₂				
			25 × R ³ / ₄	28.58 × R ³ / ₄				
			25 × R1	28.58 × R1				
			32 × R ¹ / ₂	34.00 × R ¹ / ₂				
			32 × R ³ / ₄	34.00 × R ³ / ₄				
			32 × R1	34.00 × R1				
			32 × R1 ¹ / ₄	34.00 × R1 ¹ / ₄				
			40 × R ¹ / ₂	42.70 × R ¹ / ₂				
			40 × R ³ / ₄	42.70 × R ³ / ₄				
			40 × R1	42.70 × R1				
			40 × R1 ¹ / ₄	42.70 × R1 ¹ / ₄				
			40 × R1 ¹ / ₂	42.70 × R1 ¹ / ₂				
			50 × R ¹ / ₂	48.60 × R ¹ / ₂				
			50 × R ³ / ₄	48.60 × R ³ / ₄				
			50 × R1	48.60xR1				
			50 × R1 ¹ / ₄	48.60 × R1 ¹ / ₄				
			50 × R1 ¹ / ₂	48.60 × R1 ¹ / ₂				
			50 × R2	48.60 × R2				
			65 × R1/2	76.10 × R1/2				
			65 × R3/4	76.10 × R3/4				
			65 × R1	76.10 × R1				
			65 × R11/2	76.10 × R11/2				
			65 × R21/2	76.10 × R21/2				
			65 × R11/4	76.10 × R11/4				

		80 × Rp1/2	88.9xRp1/2				
		80 × Rp3/4	88.9xRp3/4				
		80 × Rp1	88.9xRp1				
		80 × Rp1 1/4	88.9xRp1 1/4				
		80 × Rp1 1/2	88.9xRp1 1/2				
		80 × Rp2	88.9xRp2				
		80 × Rp2 1/2	88.9xRp2 1/2				
		80 × Rp3	88.9xRp3				
		100 × R1/2	108.00 × R1/2				
		100 × R3/4	108.00 × R3/4				
		100 × R1	108.00 × R1				
		100 × R2	108.00 × R2				
		100 × R1 1/4	108.00xR1 1/4				
16	管帽 Cap	产品代号 Type-Code	公称通径 Nominal.dia (mm)	管子外径 O.D (mm)	A (mm)	B (mm)	
		W-CAP	15	15.88	31.3		
			20	22.22	36		
			25	28.58	37.4		
			32	34.00	58.5		
			40	42.70	65.7		
			50	48.60	73.7		
			65	76.10	83.5		
			80	88.90	91.1		
			100	108.00	109.8		