

双卡压式管件

福兰特双卡管件源自德国成熟的SPP卡压式连接技术，一直被用于使用环境苛刻的航空、船舶、军工等领域，近年来被推广在民用领域，已有在欧洲、美洲等发达国家应用60年的历史，验证了卡压连接的可靠。

系列: 欧标 I 系/国标 I 系 材质:304/316L

序号	名称	图样	公称通径(DN)	配管外径(mm)
1	等径对接头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			65	76.1
			80	88.9
			100	101.6
2	异径对接头		20×15	20×16
			25×15	25.4×16
			25×20	25.4×20
			32×15	32×16
			32×20	32×20
			32×25	32×25.4
			40×15	40×16
			40×20	40×20
			40×25	40×25.4
			40×32	40×32
			50×15	50.8×16
			50×20	50.8×20
			50×25	50.8×25.4
			50×32	50.8×32
			50×40	50.8×40
			大规格	
			65×20	76.1×20
			65×25	76.1×25.4
			65×32	76.1×32
			65×40	76.1×40
			65×50	76.1×50.8
			80×20	88.9×20
			80×25	88.9×25.4
			80×32	88.9×32
			80×40	88.9×40
			80×50	88.9×50.8
			80×65	88.9×76.1
			100×20	101.6×20
			100×25	101.6×25.4
			100×32	101.6×32
			100×40	101.6×40
			100×50	101.6×50.8
			100×65	101.6×76.1
			100×80	101.6×88.9

序号	名称	图样	公称通径(DN)	配管外径(mm)
3	内螺纹转换接头		15×Rp½	16×Rp½
			20×Rp½	20×Rp½
			20×Rp¾	20×Rp¾
			25×Rp½	25.4×Rp½
			25×Rp¾	25.4×Rp¾
			25×Rp1	25.4×Rp1
			32×Rp1	32×Rp1
			32×Rp1¼	32×Rp1¼
			40×Rp1¼	40×Rp1¼
			40×Rp½	40×Rp½
			50×Rp1	50.8×Rp1
			50×Rp1¼	50.8×Rp1¼
			50×Rp½	50.8×Rp½
			50×Rp2	50.8×Rp2
			65×Rp2½	76.1×Rp2½
			80×Rp3	88.9×Rp3
			100×Rp4	101.6×Rp4
4	外螺纹转换接头		15×R½	16×R½
			20×R½	20×R½
			20×R¾	20×R¾
			25×R1	25.4×R1
			32×R1	32×R1
			32×R1¼	32×R1¼
			40×R1¼	40×R1¼
			40×R½	40×R½
			50×R½	50.8×R½
			50×R2	50.8×R2
			65×R2½	76.1×R2½
			80×R3	88.9×R3
			100×R4	101.6×R4
5	螺母移动转换接头		15×G½	16×G½
			15×G¾	16×G¾
			20×G½	20×G½
			20×G¾	20×G¾
			25×G1	25.4×G1
			32×G1¼	32×G1¼
			40×G1½	40×G1½
6	内螺纹90°转换弯头 (短型)		15×Rp½	16×Rp½
			20×Rp½	20×Rp½
			20×Rp¾	20×Rp¾

序号	名称	图样	公称通径(DN)	配管外径(mm)
7	A型90°弯头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			65	76.1
			80	88.9
			100	101.6
8	异径90°弯头		20×15	20×16
			25×15	25.4×16
			25×20	25.4×20
			32×15	32×16
			32×20	32×20
			32×25	32×25.4
			40×20	40×20
			40×25	40×25.4
			40×32	40×32
			50×20	50.8×20
			50×25	50.8×25.4
			50×40	50.8×40
9	外螺纹90°转换弯头		15×R $\frac{1}{2}$	16×R $\frac{1}{2}$
			20×R $\frac{1}{2}$	20×R $\frac{1}{2}$
			20×R $\frac{3}{4}$	20×R $\frac{3}{4}$
			25×R1	25.4×R1
			32×R1	32×R1
			32×R1 $\frac{1}{4}$	32×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{4}$	40×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{2}$	40×R1 $\frac{1}{2}$
			50×R1 $\frac{1}{2}$	50.8×R1 $\frac{1}{2}$
			50×R2	50.8×R2
10	内螺纹90°转换弯头 (长型)		15×R $\frac{1}{2}$	16×R $\frac{1}{2}$
			20×R $\frac{1}{2}$	20×R $\frac{1}{2}$
			20×R $\frac{3}{4}$	20×R $\frac{3}{4}$
			25×R $\frac{3}{4}$	25.4×R $\frac{3}{4}$
			25×R1	25.4×R1
			32×R1	32×R1
			32×R1 $\frac{1}{4}$	32×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{4}$	40×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{2}$	40×R1 $\frac{1}{2}$
			50×R1 $\frac{1}{2}$	50.8×R1 $\frac{1}{2}$
			50×R2	50.8×R2

序号	名称	图样	公称通径(DN)	配管外径(mm)
11	90°移动螺母转换接头		15×G¾	16×G¾
			20×G¾	20×G¾
			25×G1	25.4×G1
12	B型90°弯头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			65	76.1
			80	88.9
			100	101.6
13	A型45°弯头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			65	76.1
			80	88.9
			100	101.6
14	B型45°弯头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			65	76.1
			80	88.9
			100	101.6
15	异径45°弯头		20×15	20×16
16	等径三通接头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			65	76.1
			80	88.9
			100	101.6

序号	名称	图样	公称通径(DN)	配管外径(mm)
17	异径三通接头		20×15	20×16
			25×15	25.4×16
			25×20	25.4×20
			32×15	32×16
			32×20	32×20
			32×25	32×25.4
			40×15	40×16
			40×20	40×20
			40×25	40×25.4
			40×32	40×32
			50×15	50.8×16
			50×20	50.8×20
			50×25	50.8×25.4
			50×32	50.8×32
			50×40	50.8×40
			大规格	
			65×20	76.1×20
			65×25	76.1×25.4
			65×32	76.1×32
			65×40	76.1×40
			65×50	76.1×50.8
			80×20	88.9×20
			80×25	88.9×25.4
			80×32	88.9×32
			80×40	88.9×40
			80×50	88.9×50.8
			80×65	88.9×76.1
			100×20	101.6×20
			100×25	101.6×25.4
			100×32	101.6×32
			100×40	101.6×40
			100×50	101.6×50.8
			100×65	101.6×76.1
			100×80	101.6×88.9
18	外螺纹三通转换接头		15×R $\frac{1}{2}$	16×R $\frac{1}{2}$
			20×R $\frac{1}{2}$	20×R $\frac{1}{2}$
			20×R $\frac{3}{4}$	20×R $\frac{3}{4}$
			25×R $\frac{1}{2}$	25.4×R $\frac{1}{2}$
			25×R $\frac{3}{4}$	25.4×R $\frac{3}{4}$
			25×R1	25.4×R1
			32×R $\frac{3}{4}$	32×R $\frac{3}{4}$
			32×R1	32×R1
			32×R1 $\frac{1}{4}$	32×R1 $\frac{1}{4}$
			40×R $\frac{3}{4}$	40×R $\frac{3}{4}$
			40×R1	40×R1
			40×R1 $\frac{1}{4}$	40×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{2}$	40×R1 $\frac{1}{2}$
			50×R $\frac{3}{4}$	50.8×R1 $\frac{3}{4}$
			50×R1	50.8×R1
			50×R1 $\frac{1}{2}$	50.8×R1 $\frac{1}{2}$
			50×R2	50.8×R2

序号	名称	图样	公称通径(DN)	配管外径(mm)
19	内螺纹三通转换接头		15×Rp½	16×Rp½
			20×Rp½	20×Rp½
			20×Rp¾	20×Rp¾
			25×Rp½	25.4×Rp½
			25×Rp¾	25.4×Rp¾
			25×Rp1	25.4×Rp1
			32×Rp½	32×Rp½
			32×Rp½	32×Rp½
			32×Rp1	32×Rp1
			32×Rp1¼	32×Rp1¼
			40×Rp½	40×Rp½
			40×Rp¾	40×Rp¾
			40×Rp1	40×Rp1
			40×Rp1¼	40×Rp1¼
			40×Rp1½	40×Rp1½
			50×Rp½	50.8×Rp½
			50×Rp¾	50.8×Rp¾
			50×Rp1	50.8×Rp1
			50×Rp1½	50.8×Rp1½
			50×Rp2	50.8×Rp2
			大规格	
			65×Rp¾	76.1×Rp¾
			65×Rp2	76.1×Rp2
20	等径四通接头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			65	76.1
			80	88.9
			100	101.6

序号	名称	图样	公称通径(DN)	配管外径(mm)
21	异径四通接头		20×15	20×16
			25×15	25.4×16
			25×20	25.4×20
			32×15	32×16
			32×20	32×20
			32×25	32×25.4
			40×15	40×16
			40×20	40×20
			40×25	40×25.4
			40×32	40×32
			50×15	50.8×16
			50×20	50.8×20
			50×25	50.8×25.4
			50×32	50.8×32
			50×40	50.8×40
			大规格	
			65×20	76.1×20
			65×25	76.1×25.4
			65×32	76.1×32
			65×40	76.1×40
			65×50	76.1×50.8
			80×20	88.9×20
			80×25	88.9×25.4
			80×32	88.9×32
			80×40	88.9×40
			80×50	88.9×50.8
			80×65	88.9×76.1
			100×20	101.6×20
			100×25	101.6×25.4
			100×32	101.6×32
			100×40	101.6×40
			100×50	101.6×50.8
			100×65	101.6×76.1
			100×80	101.6×88.9
22	承口式法兰转换接头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			大规格	
			65	76.1
			80	88.9
			100	101.6

序号	名称	图样	公称通径(DN)	配管外径(mm)
23	可调对接头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			65	76.1
			80	88.9
			100	101.6
24	管帽		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			65	76.1
			80	88.9
			100	101.6
25	凸面板式平焊法兰 (1.6Mpa)		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			大规格	
			65	76.1
			80	88.9
26	直管式法兰转换接头		15	16
			20	20
			25	25.4
			32	32
			40	40
			50	50.8
			大规格	
			65	76.1
			80	88.9
27	管桥		15	16
			20	20
			25	25.4
28	双外螺纹接头		R $\frac{1}{2}$ ×R $\frac{1}{2}$	/
			R $\frac{3}{4}$ ×R $\frac{3}{4}$	/
			R1×R1	/
			R1 $\frac{1}{4}$ ×R1 $\frac{1}{4}$	/
			R1 $\frac{1}{2}$ ×R1 $\frac{1}{2}$	/
			R2×R2	/