

单卡压式管件

福兰特单卡管件源自德国成熟的SPP卡压式连接技术，一直被用于使用环境苛刻的航空、船舶、军工等领域，近年来被推广在民用领域，已有在欧洲、美洲等发达国家应用60年的历史，验证了卡压连接的可靠。

系列: 欧标 I 系/国标 I 系 材质:304/316L

序号	名称	图样	公称通径(DN)	配管外径(mm)
1	等径对接头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			65	76.1
			80	88.9
			100	108
2	异径对接头		20×15	22×18
			25×15	28×18
			25×20	28×22
			32×15	35×18
			32×20	35×22
			32×25	35×28
			40×15	42×18
			40×20	42×22
			40×25	42×28
			40×32	42×35
			50×15	54×18
			50×20	54×22
			50×25	54×28
			50×32	54×35
			50×40	54×42
			大规格	
			65×20	76.1×22
			65×25	76.1×28
			65×32	76.1×35
			65×40	76.1×42
			65×50	76.1×54
			80×20	88.9×22
			80×25	88.9×28
			80×32	88.9×35
			80×40	88.9×42
			80×50	88.9×54
			80×65	88.9×76.1
			100×20	108×22
			100×25	108×28
			100×32	108×35
			100×40	108×42
			100×50	108×54
			100×65	108×76.1
			100×80	108×88.9

序号	名称	图样	公称通径(DN)	配管外径(mm)
3	内螺纹转换接头		15×Rp½	18×Rp½
			20×Rp½	22×Rp½
			20×Rp¾	22×Rp¾
			25×Rp½	28×Rp½
			25×Rp¾	28×Rp¾
			25×Rp1	28×Rp1
			32×Rp1	35×Rp1
			32×Rp1¼	35×Rp1¼
			40×Rp1¼	42×Rp1¼
			40×Rp½	42×Rp½
			50×Rp1	54×Rp1
			50×Rp1¼	54×Rp1¼
			50×Rp½	54×Rp½
			50×Rp2	54×Rp2
			65×Rp2½	76.1×Rp2½
			80×Rp3	88.9×Rp3
			100×Rp4	108×Rp4
4	外螺纹转换接头		15×R½	18×R½
			20×R½	22×R½
			20×R¾	22×R¾
			25×R1	28×R1
			32×R1	35×R1
			32×R1¼	35×R1¼
			40×R1¼	42×R1¼
			40×R½	42×R½
			50×R½	54×R½
			50×R2	54×R2
			65×R2½	76.1×R2½
			80×R3	88.9×R3
			100×R4	108×R4
5	螺母移动转换接头		15×G½	18×G½
			15×G¾	18×G¾
			20×G½	22×G½
			20×G¾	22×G¾
			25×G1	28×G1
			32×G1¼	35×G1¼
			40×G1½	42×G1½
6	内螺纹90°转换弯头 (短型)		15×Rp½	18×Rp½
			20×Rp½	22×Rp½
			20×Rp¾	22×Rp¾

序号	名称	图样	公称通径(DN)	配管外径(mm)
7	A型90°弯头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			65	76.1
			80	88.9
			100	108
8	异径90°弯头		20×15	22×18
			25×15	28×18
			25×20	28×22
			32×15	35×18
			32×20	35×22
			32×25	35×28
			40×20	42×22
			40×25	42×28
			40×32	42×35
			50×20	54×22
			50×25	54×28
			50×40	54×42
9	外螺纹90°转换弯头		15×R $\frac{1}{2}$	18×R $\frac{1}{2}$
			20×R $\frac{1}{2}$	22×R $\frac{1}{2}$
			20×R $\frac{3}{4}$	22×R $\frac{3}{4}$
			25×R1	28×R1
			32×R1	35×R1
			32×R1 $\frac{1}{4}$	35×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{4}$	42×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{2}$	42×R1 $\frac{1}{2}$
			50×R1 $\frac{1}{2}$	54×R1 $\frac{1}{2}$
			50×R2	54×R2
10	内螺纹90°转换弯头 (长型)		15×R $\frac{1}{2}$	18×R $\frac{1}{2}$
			20×R $\frac{1}{2}$	22×R $\frac{1}{2}$
			20×R $\frac{3}{4}$	22×R $\frac{3}{4}$
			25×R $\frac{3}{4}$	28×R $\frac{3}{4}$
			25×R1	28×R1
			32×R1	35×R1
			32×R1 $\frac{1}{4}$	35×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{4}$	42×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{2}$	42×R1 $\frac{1}{2}$
			50×R1 $\frac{1}{2}$	54×R1 $\frac{1}{2}$
			50×R2	54×R2

序号	名称	图样	公称通径(DN)	配管外径(mm)
11	90°移动螺母转换接头		15×G¾	18×G¾
			20×G¾	22×G¾
			25×G1	28×G1
12	B型90°弯头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			65	76.1
			80	88.9
			100	108
13	A型45°弯头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			65	76.1
			80	88.9
			100	108
14	B型45°弯头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			65	76.1
			80	88.9
			100	108
15	异径45°弯头		20×15	22×18
16	等径三通接头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			65	76.1
			80	88.9
			100	108

序号	名称	图样	公称通径(DN)	配管外径(mm)
17	异径三通接头		20×15	22×18
			25×15	28×18
			25×20	28×22
			32×15	35×18
			32×20	35×22
			32×25	35×28
			40×15	42×18
			40×20	42×22
			40×25	42×28
			40×32	42×35
			50×15	54×18
			50×20	54×22
			50×25	54×28
			50×32	54×35
			50×40	54×42
			大规格	
			65×20	76.1×22
			65×25	76.1×28
			65×32	76.1×35
			65×40	76.1×42
			65×50	76.1×54
			80×20	88.9×22
			80×25	88.9×28
			80×32	88.9×35
			80×40	88.9×42
			80×50	88.9×54
			80×65	88.9×76.1
			100×20	108×22
			100×25	108×28
			100×32	108×35
			100×40	108×42
			100×50	108×54
			100×65	108×76.1
			100×80	108×88.9
18	外螺纹三通转换接头		15×R $\frac{1}{2}$	18×R $\frac{1}{2}$
			20×R $\frac{1}{2}$	22×R $\frac{1}{2}$
			20×R $\frac{3}{4}$	22×R $\frac{3}{4}$
			25×R $\frac{1}{2}$	28×R $\frac{1}{2}$
			25×R $\frac{3}{4}$	28×R $\frac{3}{4}$
			25×R1	28×R1
			32×R $\frac{3}{4}$	35×R $\frac{3}{4}$
			32×R1	35×R1
			32×R1 $\frac{1}{4}$	35×R1 $\frac{1}{4}$
			40×R $\frac{3}{4}$	42×R $\frac{3}{4}$
			40×R1	42×R1
			40×R1 $\frac{1}{4}$	42×R1 $\frac{1}{4}$
			40×R1 $\frac{1}{2}$	42×R1 $\frac{1}{2}$
			50×R $\frac{3}{4}$	54×R1 $\frac{3}{4}$
			50×R1	54×R1
			50×R1 $\frac{1}{2}$	54×R1 $\frac{1}{2}$
			50×R2	54×R2

序号	名称	图样	公称通径(DN)	配管外径(mm)
19	内螺纹三通转换接头		15×Rp½	18×Rp½
			20×Rp½	22×Rp½
			20×Rp¾	22×Rp¾
			25×Rp½	28×Rp½
			25×Rp¾	28×Rp¾
			25×Rp1	28×Rp1
			32×Rp½	35×Rp½
			32×Rp½	35×Rp½
			32×Rp1	35×Rp1
			32×Rp1¼	35×Rp1¼
			40×Rp½	42×Rp½
			40×Rp¾	42×Rp¾
			40×Rp1	42×Rp1
			40×Rp1¼	42×Rp1¼
			40×Rp1½	42×Rp1½
			50×Rp½	54×Rp½
			50×Rp¾	54×Rp¾
			50×Rp1	54×Rp1
			50×Rp1½	54×Rp1½
			50×Rp2	54×Rp2
			大规格	
			65×Rp¾	76.1×Rp¾
			65×Rp2	76.1×Rp2
20	等径四通接头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			65	76.1
			80	88.9
			100	108
			100	108

序号	名称	图样	公称通径(DN)	配管外径(mm)
21	异径四通接头		20×15	22×18
			25×15	28×18
			25×20	28×22
			32×15	35×18
			32×20	35×22
			32×25	35×28
			40×15	42×18
			40×20	42×22
			40×25	42×28
			40×32	42×35
			50×15	54×18
			50×20	54×22
			50×25	54×28
			50×32	54×35
			50×40	54×42
			大规格	
			65×20	76.1×22
			65×25	76.1×28
			65×32	76.1×35
			65×40	76.1×42
			65×50	76.1×54
			80×20	88.9×22
			80×25	88.9×28
			80×32	88.9×35
			80×40	88.9×42
			80×50	88.9×54
			80×65	88.9×76.1
			100×20	108×22
			100×25	108×28
			100×32	108×35
			100×40	108×42
			100×50	108×54
			100×65	108×76.1
			100×80	108×88.9
22	承口式法兰转换接头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			大规格	
			65	76.1
			80	88.9
			100	108

序号	名称	图样	公称通径(DN)	配管外径(mm)
23	可调对接头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			大规格	
			65	76.1
			80	88.9
			100	108
24	管帽		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			65	76.1
			80	88.9
			100	108
25	凸面板式平焊法兰 (1.6Mpa)		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			大规格	
			65	76.1
			80	88.9
			100	108
26	直管式法兰转换接头		15	18
			20	22
			25	28
			32	35
			40	42
			50	54
			大规格	
			65	76.1
			80	88.9
			100	108
27	管桥		15	18
			20	22
			25	28
28	双外螺纹接头		R $\frac{1}{2}$ ×R $\frac{1}{2}$	/
			R $\frac{3}{4}$ ×R $\frac{3}{4}$	/
			R1×R1	/
			R1 $\frac{1}{4}$ ×R1 $\frac{1}{4}$	/
			R1 $\frac{1}{2}$ ×R1 $\frac{1}{2}$	/
			R2×R2	/